

# Merchant Rep Pa... CHANNEL HOOKUP

Merchant Rep Paperwork 2012

9/12/12

Channel	Dm	Position	U#	Purpose	Inst Type & Access & Watt	Color	Gobo
<b>(1)</b>	263	FOH SL	11	FoH Rose	Source 4 19deg+- 575w	R05	-
	"	"	15	"	"	"	"
<b>(2)</b>	267	FOH SL	19	FoH Rose	Source 4 19deg+- 575w	R05	-
	271	FOH SR	23	"	"	"	"
<b>(3)</b>	275	FOH SR	27	FoH Rose	Source 4 19deg+- 575w	R05	-
	"	"	31	"	"	"	"
<b>(4)</b>	264	FOH SL	12	FoH Blue	Source 4 19deg+- 575w	L201	-
	"	"	16	"	"	"	"
<b>(5)</b>	268	FOH SL	20	FoH Blue	Source 4 19deg+- 575w	L201	-
	272	FOH SR	24	"	"	"	"
<b>(6)</b>	276	FOH SR	28	FoH Blue	Source 4 19deg+- 575w	L201	-
	"	"	32	"	"	"	"
<b>(7)</b>	265	FOH SL	13	FoH Choc	Source 4 19deg+- 575w	R99	-
	"	"	17	"	"	"	"
<b>(8)</b>	269	FOH SL	21	FoH Choc	Source 4 19deg+- 575w	R99	-
	273	FOH SR	25	"	"	"	"
<b>(9)</b>	281	FOH SR	29	FoH Choc	Source 4 19deg+- 575w	R99	-
	"	"	33	"	"	"	"
<b>(11)</b>	53	2nd Electric	7	Amber Top	S4 PAR WFL+- 750w	R04	-
	"	"	12	"	"	"	"
<b>(12)</b>	58	2nd Electric	17	Amber Top	S4 PAR WFL+- 750w	R04	-
	"	"	22	"	"	"	"
<b>(13)</b>	66	2nd Electric	27	Amber Top	S4 PAR WFL+- 750w	R04	-
	"	"	32	"	"	"	"
<b>(14)</b>	90	3rd Electric	7	Amber Top	S4 PAR WFL+- 750w	R04	-
	"	"	12	"	"	"	"
<b>(15)</b>	95	3rd Electric	17	Amber Top	S4 PAR WFL+- 750w	R04	-
	"	"	22	"	"	"	"
<b>(16)</b>	102	3rd Electric	27	Amber Top	S4 PAR WFL+- 750w	R04	-
	"	"	32	"	"	"	"

# Merchant Rep Pa... CHANNEL HOOKUP

Merchant Rep Paperwork 2012

9/12/12

Channel	Dm	Position	U#	Purpose	Inst Type & Access & Watt	Color	Gobo
<b>(17)</b>	125	4th Electric	7	Amber Top	S4 PAR WFL+- 750w	R04	-
	"	"	12	"	"	"	"
<b>(18)</b>	131	4th Electric	17	Amber Top	S4 PAR WFL+- 750w	R04	-
	"	"	22	"	"	"	"
<b>(19)</b>	138	4th Electric	27	Amber Top	S4 PAR WFL+- 750w	R04	-
	"	"	32	"	"	"	"
<b>(20)</b>	157	5th Electric	7	Amber Top	S4 PAR WFL+- 750w	R04	-
	"	"	12	"	"	"	"
<b>(21)</b>	162	5th Electric	17	Amber Top	S4 PAR WFL+- 750w	R04	-
	"	"	22	"	"	"	"
<b>(22)</b>	174	5th Electric	27	Amber Top	S4 PAR WFL+- 750w	R04	-
	"	"	32	"	"	"	"
<b>(31)</b>	52	2nd Electric	8	Red Top	S4 PAR WFL+- 750w	R26	-
	"	"	13	"	"	"	"
<b>(32)</b>	59	2nd Electric	18	Red Top	S4 PAR WFL+- 750w	R26	-
	"	"	23	"	"	"	"
<b>(33)</b>	62	2nd Electric	28	Red Top	S4 PAR WFL+- 750w	R26	-
	"	"	33	"	"	"	"
<b>(34)</b>	91	3rd Electric	8	Red Top	S4 PAR WFL+- 750w	R26	-
	"	"	13	"	"	"	"
<b>(35)</b>	97	3rd Electric	18	Red Top	S4 PAR WFL+- 750w	R26	-
	"	"	23	"	"	"	"
<b>(36)</b>	103	3rd Electric	28	Red Top	S4 PAR WFL+- 750w	R26	-
	"	"	33	"	"	"	"
<b>(37)</b>	129	4th Electric	8	Red Top	S4 PAR WFL+- 750w	R26	-
	"	"	13	"	"	"	"
<b>(38)</b>	133	4th Electric	18	Red Top	S4 PAR WFL+- 750w	R26	-
	"	"	23	"	"	"	"
<b>(39)</b>	141	4th Electric	28	Red Top	S4 PAR WFL+- 750w	R26	-
	"	"	33	"	"	"	"

# Merchant Rep Pa... CHANNEL HOOKUP

Merchant Rep Paperwork 2012

9/12/12

Channel	Dm	Position	U#	Purpose	Inst Type & Access & Watt	Color	Gobo
<b>(40)</b>	158	5th Electric	8	Red Top	S4 PAR WFL+- 750w	R26	-
	"	"	13	"	"	"	"
<b>(41)</b>	169	5th Electric	18	Red Top	S4 PAR WFL+- 750w	R26	-
	"	"	23	"	"	"	"
<b>(42)</b>	175	5th Electric	28	Red Top	S4 PAR WFL+- 750w	R26	-
	"	"	33	"	"	"	"
<b>(51)</b>	54	2nd Electric	9	Blue Top	S4 PAR WFL+- 750w	R80	-
	"	"	14	"	"	"	"
<b>(52)</b>	60	2nd Electric	19	Blue Top	S4 PAR WFL+- 750w	R80	-
	"	"	24	"	"	"	"
<b>(53)</b>	68	2nd Electric	29	Blue Top	S4 PAR WFL+- 750w	R80	-
	"	"	34	"	"	"	"
<b>(54)</b>	92	3rd Electric	9	Blue Top	S4 PAR WFL+- 750w	R80	-
	"	"	14	"	"	"	"
<b>(55)</b>	98	3rd Electric	19	Blue Top	S4 PAR WFL+- 750w	R80	-
	"	"	24	"	"	"	"
<b>(56)</b>	104	3rd Electric	29	Blue Top	S4 PAR WFL+- 750w	R80	-
	"	"	34	"	"	"	"
<b>(57)</b>	128	4th Electric	9	Blue Top	S4 PAR WFL+- 750w	R80	-
	"	"	14	"	"	"	"
<b>(58)</b>	134	4th Electric	19	Blue Top	S4 PAR WFL+- 750w	R80	-
	"	"	24	"	"	"	"
<b>(59)</b>	140	4th Electric	29	Blue Top	S4 PAR WFL+- 750w	R80	-
	"	"	34	"	"	"	"
<b>(60)</b>	159	5th Electric	9	Blue Top	S4 PAR WFL+- 750w	R80	-
	"	"	14	"	"	"	"
<b>(61)</b>	170	5th Electric	19	Blue Top	S4 PAR WFL+- 750w	R80	-
	"	"	24	"	"	"	"
<b>(62)</b>	176	5th Electric	29	Blue Top	S4 PAR WFL+- 750w	R80	-
	"	"	34	"	"	"	"

# Merchant Rep Pa... CHANNEL HOOKUP

Merchant Rep Paperwork 2012

9/12/12

Channel	Dm	Position	U#	Purpose	Inst Type & Access & Watt	Color	Gobo
<b>(71)</b>	56	2nd Electric	10	Purple Top	S4 PAR WFL+- 750w	R47	-
	"	"	15	"	"	"	"
<b>(72)</b>	63	2nd Electric	20	Purple Top	S4 PAR WFL+- 750w	R47	-
	"	"	25	"	"	"	"
<b>(73)</b>	67	2nd Electric	30	Purple Top	S4 PAR WFL+- 750w	R47	-
	"	"	35	"	"	"	"
<b>(74)</b>	93	3rd Electric	10	Purple Top	S4 PAR WFL+- 750w	R47	-
	"	"	15	"	"	"	"
<b>(75)</b>	99	3rd Electric	20	Purple Top	S4 PAR WFL+- 750w	R47	-
	"	"	25	"	"	"	"
<b>(76)</b>	105	3rd Electric	30	Purple Top	S4 PAR WFL+- 750w	R47	-
	"	"	35	"	"	"	"
<b>(77)</b>	127	4th Electric	10	Purple Top	S4 PAR WFL+- 750w	R47	-
	"	"	15	"	"	"	"
<b>(78)</b>	135	4th Electric	20	Purple Top	S4 PAR WFL+- 750w	R47	-
	"	"	25	"	"	"	"
<b>(79)</b>	139	4th Electric	30	Purple Top	S4 PAR WFL+- 750w	R47	-
	"	"	35	"	"	"	"
<b>(80)</b>	160	5th Electric	10	Purple Top	S4 PAR WFL+- 750w	R47	-
	"	"	15	"	"	"	"
<b>(81)</b>	171	5th Electric	20	Purple Top	S4 PAR WFL+- 750w	R47	-
	"	"	25	"	"	"	"
<b>(82)</b>	177	5th Electric	30	Purple Top	S4 PAR WFL+- 750w	R47	-
	"	"	35	"	"	"	"

Channel	Dm	Position	U#	Purpose	Inst Type & Access & Watt	Color	Gobo
<b>(91)</b>	211	6th Electric	A1	Cyc Top Red	Far Cyc Cell+- 2kw	R124	-
	"	"	B1	"	"	"	"
	215	"	C1	"	"	"	"
	"	"	D1	"	"	"	"
	207	"	E1	"	"	"	"
	"	"	F1	"	"	"	"
	199	"	G1	"	"	"	"
	"	"	H1	"	"	"	"
	203	"	I1	"	"	"	"
	"	"	J1	"	"	"	"
<b>(92)</b>	212	6th Electric	A2	Cyc Top Blue	Far Cyc Cell+- 2kw	R125	-
	"	"	B2	"	"	"	"
	216	"	C2	"	"	"	"
	"	"	D2	"	"	"	"
	208	"	E2	"	"	"	"
	"	"	F2	"	"	"	"
	200	"	G2	"	"	"	"
	"	"	H2	"	"	"	"
	204	"	I2	"	"	"	"
	"	"	J2	"	"	"	"
<b>(93)</b>	213	6th Electric	A3	Cyc Top Green	Far Cyc Cell+- 2kw	R126	-
	"	"	B3	"	"	"	"
	205	"	C3	"	"	"	"
	"	"	D3	"	"	"	"
	209	"	E3	"	"	"	"
	"	"	F3	"	"	"	"
	201	"	G3	"	"	"	"
	"	"	H3	"	"	"	"
	413	"	I3	"	"	"	"
	"	"	J3	"	"	"	"

Channel	Dm	Position	U#	Purpose	Inst Type & Access & Watt	Color	Gobo
<b>(94)</b>	214	6th Electric	A4	Cyc Top Amber	Far Cyc Cell+- 2kw	R127	-
	"	"	B4	"	"	"	"
	206	"	C4	"	"	"	"
	"	"	D4	"	"	"	"
	210	"	E4	"	"	"	"
	"	"	F4	"	"	"	"
	202	"	G4	"	"	"	"
	"	"	H4	"	"	"	"
	414	"	I4	"	"	"	"
	"	"	J4	"	"	"	"
<b>(101)</b>	49	2nd Electric	1	High X Gobo	Source 4 36deg+- 750w	N/C	-
	"	"	4	"	Source 4 26deg+- 750w	"	"
<b>(102)</b>	72	2nd Electric	38	High X Gobo	Source 4 26deg+- 750w	N/C	-
	"	"	41	"	Source 4 36deg+- 750w	"	"
<b>(103)</b>	87	3rd Electric	1	High X Gobo	Source 4 36deg+- 750w	N/C	-
	"	"	4	"	Source 4 26deg+- 750w	"	"
<b>(104)</b>	108	3rd Electric	38	High X Gobo	Source 4 26deg+- 750w	N/C	-
	"	"	41	"	Source 4 36deg+- 750w	"	"
<b>(105)</b>	122	4th Electric	1	High X Gobo	Source 4 36deg+- 750w	N/C	-
	"	"	4	"	Source 4 26deg+- 750w	"	"
<b>(106)</b>	144	4th Electric	38	High X Gobo	Source 4 26deg+- 750w	N/C	-
	"	"	41	"	Source 4 36deg+- 750w	"	"
<b>(107)</b>	163	5th Electric	1	High X Gobo	Source 4 36deg+- 750w	N/C	-
	"	"	4	"	Source 4 26deg+- 750w	"	"
<b>(108)</b>	180	5th Electric	38	High X Gobo	Source 4 26deg+- 750w	N/C	-
	"	"	41	"	Source 4 36deg+- 750w	"	"
<b>(111)</b>	50	2nd Electric	2	High X Lav	Source 4 36deg+- 750w	R54	-
	"	"	5	"	Source 4 26deg+- 750w	"	"
<b>(112)</b>	71	2nd Electric	37	High X Lav	Source 4 26deg+- 750w	R54	-
	"	"	40	"	Source 4 36deg+- 750w	"	"

# Merchant Rep Pa... CHANNEL HOOKUP

Merchant Rep Paperwork 2012

9/12/12

Channel	Dm	Position	U#	Purpose	Inst Type & Access & Watt	Color	Gobo
<b>(113)</b>	88	3rd Electric	2	High X Lav	Source 4 36deg+- 750w	R54	-
	"	"	5	"	Source 4 26deg+- 750w	"	"
<b>(114)</b>	107	3rd Electric	37	High X Lav	Source 4 26deg+- 750w	R54	-
	"	"	40	"	Source 4 36deg+- 750w	"	"
<b>(115)</b>	123	4th Electric	2	High X Lav	Source 4 36deg+- 750w	R54	-
	"	"	5	"	Source 4 26deg+- 750w	"	"
<b>(116)</b>	143	4th Electric	37	High X Lav	Source 4 26deg+- 750w	R54	-
	"	"	40	"	Source 4 36deg+- 750w	"	"
<b>(117)</b>	164	5th Electric	2	High X Lav	Source 4 36deg+- 750w	R54	-
	"	"	5	"	Source 4 26deg+- 750w	"	"
<b>(118)</b>	179	5th Electric	37	High X Lav	Source 4 26deg+- 750w	R54	-
	"	"	40	"	Source 4 36deg+- 750w	"	"
<b>(121)</b>	51	2nd Electric	3	High X Pink	Source 4 36deg+- 750w	R34	-
	"	"	6	"	Source 4 26deg+- 750w	"	"
<b>(122)</b>	69	2nd Electric	36	High X Pink	Source 4 26deg+- 750w	R34	-
	"	"	39	"	Source 4 36deg+- 750w	"	"
<b>(123)</b>	89	3rd Electric	3	High X Pink	Source 4 36deg+- 750w	R34	-
	"	"	6	"	Source 4 26deg+- 750w	"	"
<b>(124)</b>	106	3rd Electric	36	High X Pink	Source 4 26deg+- 750w	R34	-
	"	"	39	"	Source 4 36deg+- 750w	"	"
<b>(125)</b>	124	4th Electric	3	High X Pink	Source 4 36deg+- 750w	R34	-
	"	"	6	"	Source 4 26deg+- 750w	"	"
<b>(126)</b>	142	4th Electric	36	High X Pink	Source 4 26deg+- 750w	R34	-
	"	"	39	"	Source 4 36deg+- 750w	"	"
<b>(127)</b>	165	5th Electric	3	High X Pink	Source 4 36deg+- 750w	R34	-
	"	"	6	"	Source 4 26deg+- 750w	"	"
<b>(128)</b>	178	5th Electric	36	High X Pink	Source 4 26deg+- 750w	R34	-
	"	"	39	"	Source 4 36deg+- 750w	"	"
<b>(131)</b>	437	FOH SL	5	-	Source 4 10deg+- 575w	-	-
<b>(132)</b>	438	FOH SL	6	-	Source 4 10deg+- 575w	-	-

Channel	Dm	Position	U#	Purpose	Inst Type & Access & Watt	Color	Gobo
<b>(133)</b>	259	FOH SL	7	FoH Specials	Source 4 10deg+- 575w	-	-
<b>(134)</b>	260	FOH SL	8	FoH Specials	Source 4 10deg+- 575w	-	-
<b>(135)</b>	261	FOH SL	9	FoH Specials	Source 4 10deg+- 575w	-	-
<b>(136)</b>	262	FOH SL	10	FoH Specials	Source 4 10deg+- 575w	-	-
<b>(137)</b>	280	FOH SR	35	FoH Specials	Source 4 10deg+- 575w	-	-
<b>(138)</b>	279	FOH SR	36	FoH Specials	Source 4 10deg+- 575w	-	-
<b>(139)</b>	278	FOH SR	37	FoH Specials	Source 4 10deg+- 575w	-	-
<b>(140)</b>	277	FOH SR	38	FoH Specials	Source 4 10deg+- 575w	-	-
<b>(141)</b>	444	FOH SR	39	-	Source 4 10deg+- 575w	-	-
<b>(142)</b>	443	FOH SR	40	-	Source 4 10deg+- 575w	-	-
<b>(151)</b>	34	1st Electric	1	Special	Source 4 26deg+- 750w	N/C	-
<b>(152)</b>	35	1st Electric	2	Special	Source 4 36deg+- 750w	N/C	-
<b>(153)</b>	36	1st Electric	3	Special	Source 4 26deg+- 750w	N/C	-
<b>(154)</b>	25	1st Electric	4	Special	Source 4 36deg+- 750w	N/C	-
<b>(155)</b>	26	1st Electric	5	Special	Source 4 26deg+- 750w	N/C	-
<b>(156)</b>	27	1st Electric	6	Special	Source 4 36deg+- 750w	N/C	-
<b>(157)</b>	28	1st Electric	7	Special	Source 4 26deg+- 750w	N/C	-
<b>(158)</b>	29	1st Electric	8	Special	Source 4 36deg+- 750w	N/C	-
<b>(159)</b>	30	1st Electric	9	Special	Source 4 26deg+- 750w	N/C	-
<b>(161)</b>	55	2nd Electric	11	Special	Source 4 36deg+- 750w	N/C	-
<b>(162)</b>	57	2nd Electric	16	Special	Source 4 36deg+- 750w	N/C	-
<b>(163)</b>	64	2nd Electric	21	Special	Source 4 36deg+- 750w	N/C	-
<b>(164)</b>	61	2nd Electric	26	Special	Source 4 36deg+- 750w	N/C	-
<b>(165)</b>	65	2nd Electric	31	Special	Source 4 36deg+- 750w	N/C	-
<b>(166)</b>	86	3rd Electric	11	Special	Source 4 36deg+- 750w	N/C	-
<b>(167)</b>	94	3rd Electric	16	Special	Source 4 36deg+- 750w	N/C	-
<b>(168)</b>	96	3rd Electric	21	Special	Source 4 36deg+- 750w	N/C	-
<b>(169)</b>	100	3rd Electric	26	Special	Source 4 36deg+- 750w	N/C	-
<b>(170)</b>	101	3rd Electric	31	Special	Source 4 36deg+- 750w	N/C	-



# Merchant Rep Pa... CHANNEL HOOKUP

Merchant Rep Paperwork 2012

9/12/12

Channel	Dm	Position	U#	Purpose	Inst Type & Access & Watt	Color	Gobo
<b>(171)</b>	126	4th Electric	11	Special	Source 4 36deg+- 750w	N/C	-
<b>(172)</b>	130	4th Electric	16	Special	Source 4 36deg+- 750w	N/C	-
<b>(173)</b>	132	4th Electric	21	Special	Source 4 36deg+- 750w	N/C	-
<b>(174)</b>	136	4th Electric	26	Special	Source 4 36deg+- 750w	N/C	-
<b>(175)</b>	137	4th Electric	31	Special	Source 4 36deg+- 750w	N/C	-
<b>(176)</b>	168	5th Electric	11	Special	Source 4 36deg+- 750w	N/C	-
<b>(177)</b>	161	5th Electric	16	Special	Source 4 36deg+- 750w	N/C	-
<b>(178)</b>	167	5th Electric	21	Special	Source 4 36deg+- 750w	N/C	-
<b>(179)</b>	172	5th Electric	26	Special	Source 4 36deg+- 750w	N/C	-
<b>(180)</b>	173	5th Electric	31	Special	Source 4 36deg+- 750w	N/C	-
<b>(497)</b>	266	FOH SL	14	FoH N/C	Source 4 19deg+- 575w	N/C	-
	"	"	18	"	"	"	"
	270	"	22	"	"	"	"
	274	FOH SR	26	"	"	"	"
	282	"	30	"	"	"	"
	"	"	34	"	"	"	"

# Merchant Rep Pa... CHANNEL HOOKUP

Merchant Rep Paperwork 2012

9/12/12

Items WITHOUT Channel

Channel	Dm	Position	U#	Purpose	Inst Type & Access & Watt	Color	Gobo
433		FOH SL	1	-	Source 4 36deg+- 575w	-	-
434		"	2	"	"	"	"
435		"	3	"	"	"	"
436		"	4	"	"	"	"
301		Balc 1 SL	1	"	Source 4 26deg+- 575w	R33	"
302		"	2	"	"	"	"
303		"	3	"	"	R51	"
304		"	4	"	"	"	"
305		"	5	"	"	R99	"
306		"	6	"	"	"	"
330		Balc 1 SR	1	"	"	"	"
329		"	2	"	"	"	"
328		"	3	"	"	R51	"
327		"	4	"	"	"	"
326		"	5	"	"	R33	"
325		"	6	"	"	"	"
333		Balc 2 CS	1	"	"	-	"
334		"	2	"	"	"	"
335		"	3	"	Source 4 14 Deg+- 750w	"	"
336		"	4	"	"	"	"
331		"	5	"	"	"	"
332		"	6	"	"	"	"
342		"	7	"	"	"	"
341		"	8	"	"	"	"
337		"	9	"	"	"	"
338		"	10	"	"	"	"
339		"	11	"	Source 4 26deg+- 575w	"	"
340		"	12	"	"	"	"
307		Box Boom SR	1	"	"	"	"
308		"	2	"	"	"	"
309		"	3	"	Source 4 36deg+- 575w	"	"

# Merchant Rep Pa... CHANNEL HOOKUP

Merchant Rep Paperwork 2012

9/12/12

Items WITHOUT Channel

Channel	Dm	Position	U#	Purpose	Inst Type & Access & Watt	Color	Gobo
310	Box Boom	SR	4	-	Source 4 36deg+- 575w	-	-
311	"	"	5	"	Source 4 50deg+- 575w	"	"
312	"	"	6	"	Source 4 36deg+- 575w	"	"
313	"	"	7	"	Source 4 70 deg+- 750w	"	"
314	"	"	8	"	Source 4 36deg+- 575w	"	"
315	"	"	9	"	Source 4 50deg+- 575w	"	"
316	"	"	10	"	Source 4 36deg+- 575w	"	"
317	"	"	11	"	"	"	"
283	Box Boom	SL	1	"	Source 4 26deg+- 575w	"	"
284	"	"	2	"	"	"	"
285	"	"	3	"	Source 4 36deg+- 575w	"	"
286	"	"	4	"	"	"	"
287	"	"	5	"	Source 4 50deg+- 575w	"	"
288	"	"	6	"	Source 4 36deg+- 575w	"	"
289	"	"	7	"	Source 4 70 deg+- 750w	"	"
290	"	"	8	"	Source 4 36deg+- 575w	"	"
291	"	"	9	"	Source 4 50deg+- 575w	"	"
292	"	"	10	"	Source 4 36deg+- 575w	"	"
293	"	"	11	"	"	"	"
442	FOH	SR	41	"	"	"	"
441	"	"	42	"	"	"	"
440	"	"	43	"	"	"	"
439	"	"	44	"	"	"	"
345	Balc 1	CS	1	"	Source 4 26deg+- 575w	"	"
346	"	"	2	"	"	"	"
347	"	"	3	"	Source 4 14 Deg+- 750w	"	"
348	"	"	4	"	"	"	"
349	"	"	5	"	"	"	"
350	"	"	6	"	"	"	"
352	"	"	7	"	Source 4 26deg+- 575w	"	"
353	"	"	8	"	"	"	"

## TABLE OF CONTENTS

2nd Electric .....	2	Balc 1 SR .....	13
3rd Electric .....	4	Balc 2 CS .....	13
4th Electric .....	6	Box Boom SR .....	14
5th Electric .....	8	Box Boom SL .....	14
6th Electric .....	10	FOH SR .....	15
FOH SL .....	12	1st Electric .....	16
Balc 1 SL .....	12	Balc 1 CS .....	16

# Merchant Rep ... INSTRUMENT SCHEDULE

Merchant Rep Paperwork 2012

9/12/12

## 2nd Electric

U#	Purpose	Inst Type & Access & Watt	Ckt	C#	Color	Gobo	Gsiz	Dm	Chan
1	High X Gobo	Source 4 36deg+- 750w	-		N/C	-		49	(101)
2	High X Lav	Source 4 36deg+- 750w	-		R54	-		50	(111)
3	High X Pink	Source 4 36deg+- 750w	-		R34	-		51	(121)
4	High X Gobo	Source 4 26deg+- 750w	-		N/C	-		49	(101)
5	High X Lav	Source 4 26deg+- 750w	-		R54	-		50	(111)
6	High X Pink	Source 4 26deg+- 750w	-		R34	-		51	(121)
7	Amber Top	S4 PAR WFL+- 750w	-		R04	-		53	(11)
8	Red Top	S4 PAR WFL+- 750w	-		R26	-		52	(31)
9	Blue Top	S4 PAR WFL+- 750w	-		R80	-		54	(51)
10	Purple Top	S4 PAR WFL+- 750w	-		R47	-		56	(71)
11	Special	Source 4 36deg+- 750w	-		N/C	-		55	(161)
12	Amber Top	S4 PAR WFL+- 750w	-		R04	-		53	(11)
13	Red Top	S4 PAR WFL+- 750w	-		R26	-		52	(31)
14	Blue Top	S4 PAR WFL+- 750w	-		R80	-		54	(51)
15	Purple Top	S4 PAR WFL+- 750w	-		R47	-		56	(71)
16	Special	Source 4 36deg+- 750w	-		N/C	-		57	(162)
17	Amber Top	S4 PAR WFL+- 750w	-		R04	-		58	(12)
18	Red Top	S4 PAR WFL+- 750w	-		R26	-		59	(32)
19	Blue Top	S4 PAR WFL+- 750w	-		R80	-		60	(52)
20	Purple Top	S4 PAR WFL+- 750w	-		R47	-		63	(72)
21	Special	Source 4 36deg+- 750w	-		N/C	-		64	(163)
22	Amber Top	S4 PAR WFL+- 750w	-		R04	-		58	(12)
23	Red Top	S4 PAR WFL+- 750w	-		R26	-		59	(32)
24	Blue Top	S4 PAR WFL+- 750w	-		R80	-		60	(52)
25	Purple Top	S4 PAR WFL+- 750w	-		R47	-		63	(72)
26	Special	Source 4 36deg+- 750w	-		N/C	-		61	(164)
27	Amber Top	S4 PAR WFL+- 750w	-		R04	-		66	(13)
28	Red Top	S4 PAR WFL+- 750w	-		R26	-		62	(33)
29	Blue Top	S4 PAR WFL+- 750w	-		R80	-		68	(53)
30	Purple Top	S4 PAR WFL+- 750w	-		R47	-		67	(73)

# Merchant Rep ... INSTRUMENT SCHEDULE

Merchant Rep Paperwork 2012

9/12/12

## 2nd Electric

U#	Purpose	Inst Type & Access & Watt	Ckt	C#	Color	Gobo	Gsiz	Dm	Chan
31	Special	Source 4 36deg+- 750w	-		N/C	-		65	(165)
32	Amber Top	S4 PAR WFL+- 750w	-		R04	-		66	(13)
33	Red Top	S4 PAR WFL+- 750w	-		R26	-		62	(33)
34	Blue Top	S4 PAR WFL+- 750w	-		R80	-		68	(53)
35	Purple Top	S4 PAR WFL+- 750w	-		R47	-		67	(73)
36	High X Pink	Source 4 26deg+- 750w	-		R34	-		69	(122)
37	High X Lav	Source 4 26deg+- 750w	-		R54	-		71	(112)
38	High X Gobo	Source 4 26deg+- 750w	-		N/C	-		72	(102)
39	High X Pink	Source 4 36deg+- 750w	-		R34	-		69	(122)
40	High X Lav	Source 4 36deg+- 750w	-		R54	-		71	(112)
41	High X Gobo	Source 4 36deg+- 750w	-		N/C	-		72	(102)

# Merchant Rep ... INSTRUMENT SCHEDULE

Merchant Rep Paperwork 2012

9/12/12

## 3rd Electric

U#	Purpose	Inst Type & Access & Watt	Ckt	C#	Color	Gobo	Gsiz	Dm	Chan
1	High X Gobo	Source 4 36deg+- 750w	-		N/C	-		87	(103)
2	High X Lav	Source 4 36deg+- 750w	-		R54	-		88	(113)
3	High X Pink	Source 4 36deg+- 750w	-		R34	-		89	(123)
4	High X Gobo	Source 4 26deg+- 750w	-		N/C	-		87	(103)
5	High X Lav	Source 4 26deg+- 750w	-		R54	-		88	(113)
6	High X Pink	Source 4 26deg+- 750w	-		R34	-		89	(123)
7	Amber Top	S4 PAR WFL+- 750w	-		R04	-		90	(14)
8	Red Top	S4 PAR WFL+- 750w	-		R26	-		91	(34)
9	Blue Top	S4 PAR WFL+- 750w	-		R80	-		92	(54)
10	Purple Top	S4 PAR WFL+- 750w	-		R47	-		93	(74)
11	Special	Source 4 36deg+- 750w	-		N/C	-		86	(166)
12	Amber Top	S4 PAR WFL+- 750w	-		R04	-		90	(14)
13	Red Top	S4 PAR WFL+- 750w	-		R26	-		91	(34)
14	Blue Top	S4 PAR WFL+- 750w	-		R80	-		92	(54)
15	Purple Top	S4 PAR WFL+- 750w	-		R47	-		93	(74)
16	Special	Source 4 36deg+- 750w	-		N/C	-		94	(167)
17	Amber Top	S4 PAR WFL+- 750w	-		R04	-		95	(15)
18	Red Top	S4 PAR WFL+- 750w	-		R26	-		97	(35)
19	Blue Top	S4 PAR WFL+- 750w	-		R80	-		98	(55)
20	Purple Top	S4 PAR WFL+- 750w	-		R47	-		99	(75)
21	Special	Source 4 36deg+- 750w	-		N/C	-		96	(168)
22	Amber Top	S4 PAR WFL+- 750w	-		R04	-		95	(15)
23	Red Top	S4 PAR WFL+- 750w	-		R26	-		97	(35)
24	Blue Top	S4 PAR WFL+- 750w	-		R80	-		98	(55)
25	Purple Top	S4 PAR WFL+- 750w	-		R47	-		99	(75)
26	Special	Source 4 36deg+- 750w	-		N/C	-		100	(169)
27	Amber Top	S4 PAR WFL+- 750w	-		R04	-		102	(16)
28	Red Top	S4 PAR WFL+- 750w	-		R26	-		103	(36)
29	Blue Top	S4 PAR WFL+- 750w	-		R80	-		104	(56)
30	Purple Top	S4 PAR WFL+- 750w	-		R47	-		105	(76)

# Merchant Rep ... INSTRUMENT SCHEDULE

Merchant Rep Paperwork 2012

9/12/12

## 3rd Electric

U#	Purpose	Inst Type & Access & Watt	Ckt	C#	Color	Gobo	Gsiz	Dm	Chan
31	Special	Source 4 36deg+- 750w	-		N/C	-		101	(170)
32	Amber Top	S4 PAR WFL+- 750w	-		R04	-		102	(16)
33	Red Top	S4 PAR WFL+- 750w	-		R26	-		103	(36)
34	Blue Top	S4 PAR WFL+- 750w	-		R80	-		104	(56)
35	Purple Top	S4 PAR WFL+- 750w	-		R47	-		105	(76)
36	High X Pink	Source 4 26deg+- 750w	-		R34	-		106	(124)
37	High X Lav	Source 4 26deg+- 750w	-		R54	-		107	(114)
38	High X Gobo	Source 4 26deg+- 750w	-		N/C	-		108	(104)
39	High X Pink	Source 4 36deg+- 750w	-		R34	-		106	(124)
40	High X Lav	Source 4 36deg+- 750w	-		R54	-		107	(114)
41	High X Gobo	Source 4 36deg+- 750w	-		N/C	-		108	(104)



# Merchant Rep ... INSTRUMENT SCHEDULE

Merchant Rep Paperwork 2012

9/12/12

## 4th Electric

U#	Purpose	Inst Type & Access & Watt	Ckt	C#	Color	Gobo	Gsiz	Dm	Chan
1	High X Gobo	Source 4 36deg+- 750w	-		N/C	-		122	(105)
2	High X Lav	Source 4 36deg+- 750w	-		R54	-		123	(115)
3	High X Pink	Source 4 36deg+- 750w	-		R34	-		124	(125)
4	High X Gobo	Source 4 26deg+- 750w	-		N/C	-		122	(105)
5	High X Lav	Source 4 26deg+- 750w	-		R54	-		123	(115)
6	High X Pink	Source 4 26deg+- 750w	-		R34	-		124	(125)
7	Amber Top	S4 PAR WFL+- 750w	-		R04	-		125	(17)
8	Red Top	S4 PAR WFL+- 750w	-		R26	-		129	(37)
9	Blue Top	S4 PAR WFL+- 750w	-		R80	-		128	(57)
10	Purple Top	S4 PAR WFL+- 750w	-		R47	-		127	(77)
11	Special	Source 4 36deg+- 750w	-		N/C	-		126	(171)
12	Amber Top	S4 PAR WFL+- 750w	-		R04	-		125	(17)
13	Red Top	S4 PAR WFL+- 750w	-		R26	-		129	(37)
14	Blue Top	S4 PAR WFL+- 750w	-		R80	-		128	(57)
15	Purple Top	S4 PAR WFL+- 750w	-		R47	-		127	(77)
16	Special	Source 4 36deg+- 750w	-		N/C	-		130	(172)
17	Amber Top	S4 PAR WFL+- 750w	-		R04	-		131	(18)
18	Red Top	S4 PAR WFL+- 750w	-		R26	-		133	(38)
19	Blue Top	S4 PAR WFL+- 750w	-		R80	-		134	(58)
20	Purple Top	S4 PAR WFL+- 750w	-		R47	-		135	(78)
21	Special	Source 4 36deg+- 750w	-		N/C	-		132	(173)
22	Amber Top	S4 PAR WFL+- 750w	-		R04	-		131	(18)
23	Red Top	S4 PAR WFL+- 750w	-		R26	-		133	(38)
24	Blue Top	S4 PAR WFL+- 750w	-		R80	-		134	(58)
25	Purple Top	S4 PAR WFL+- 750w	-		R47	-		135	(78)
26	Special	Source 4 36deg+- 750w	-		N/C	-		136	(174)
27	Amber Top	S4 PAR WFL+- 750w	-		R04	-		138	(19)
28	Red Top	S4 PAR WFL+- 750w	-		R26	-		141	(39)
29	Blue Top	S4 PAR WFL+- 750w	-		R80	-		140	(59)
30	Purple Top	S4 PAR WFL+- 750w	-		R47	-		139	(79)

# Merchant Rep ... INSTRUMENT SCHEDULE

Merchant Rep Paperwork 2012

9/12/12

## 4th Electric

U#	Purpose	Inst Type & Access & Watt	Ckt	C#	Color	Gobo	Gsiz	Dm	Chan
31	Special	Source 4 36deg+- 750w	-		N/C	-		137	(175)
32	Amber Top	S4 PAR WFL+- 750w	-		R04	-		138	(19)
33	Red Top	S4 PAR WFL+- 750w	-		R26	-		141	(39)
34	Blue Top	S4 PAR WFL+- 750w	-		R80	-		140	(59)
35	Purple Top	S4 PAR WFL+- 750w	-		R47	-		139	(79)
36	High X Pink	Source 4 26deg+- 750w	-		R34	-		142	(126)
37	High X Lav	Source 4 26deg+- 750w	-		R54	-		143	(116)
38	High X Gobo	Source 4 26deg+- 750w	-		N/C	-		144	(106)
39	High X Pink	Source 4 36deg+- 750w	-		R34	-		142	(126)
40	High X Lav	Source 4 36deg+- 750w	-		R54	-		143	(116)
41	High X Gobo	Source 4 36deg+- 750w	-		N/C	-		144	(106)

# Merchant Rep ... INSTRUMENT SCHEDULE

Merchant Rep Paperwork 2012

9/12/12

## 5th Electric

U#	Purpose	Inst Type & Access & Watt	Ckt	C#	Color	Gobo	Gsiz	Dm	Chan
1	High X Gobo	Source 4 36deg+- 750w	-		N/C	-		163	(107)
2	High X Lav	Source 4 36deg+- 750w	-		R54	-		164	(117)
3	High X Pink	Source 4 36deg+- 750w	-		R34	-		165	(127)
4	High X Gobo	Source 4 26deg+- 750w	-		N/C	-		163	(107)
5	High X Lav	Source 4 26deg+- 750w	-		R54	-		164	(117)
6	High X Pink	Source 4 26deg+- 750w	-		R34	-		165	(127)
7	Amber Top	S4 PAR WFL+- 750w	-		R04	-		157	(20)
8	Red Top	S4 PAR WFL+- 750w	-		R26	-		158	(40)
9	Blue Top	S4 PAR WFL+- 750w	-		R80	-		159	(60)
10	Purple Top	S4 PAR WFL+- 750w	-		R47	-		160	(80)
11	Special	Source 4 36deg+- 750w	-		N/C	-		168	(176)
12	Amber Top	S4 PAR WFL+- 750w	-		R04	-		157	(20)
13	Red Top	S4 PAR WFL+- 750w	-		R26	-		158	(40)
14	Blue Top	S4 PAR WFL+- 750w	-		R80	-		159	(60)
15	Purple Top	S4 PAR WFL+- 750w	-		R47	-		160	(80)
16	Special	Source 4 36deg+- 750w	-		N/C	-		161	(177)
17	Amber Top	S4 PAR WFL+- 750w	-		R04	-		162	(21)
18	Red Top	S4 PAR WFL+- 750w	-		R26	-		169	(41)
19	Blue Top	S4 PAR WFL+- 750w	-		R80	-		170	(61)
20	Purple Top	S4 PAR WFL+- 750w	-		R47	-		171	(81)
21	Special	Source 4 36deg+- 750w	-		N/C	-		167	(178)
22	Amber Top	S4 PAR WFL+- 750w	-		R04	-		162	(21)
23	Red Top	S4 PAR WFL+- 750w	-		R26	-		169	(41)
24	Blue Top	S4 PAR WFL+- 750w	-		R80	-		170	(61)
25	Purple Top	S4 PAR WFL+- 750w	-		R47	-		171	(81)
26	Special	Source 4 36deg+- 750w	-		N/C	-		172	(179)
27	Amber Top	S4 PAR WFL+- 750w	-		R04	-		174	(22)
28	Red Top	S4 PAR WFL+- 750w	-		R26	-		175	(42)
29	Blue Top	S4 PAR WFL+- 750w	-		R80	-		176	(62)
30	Purple Top	S4 PAR WFL+- 750w	-		R47	-		177	(82)

**5th Electric**

U#	Purpose	Inst Type & Access & Watt	Ckt	C#	Color	Gobo	Gsiz	Dm	Chan
31	Special	Source 4 36deg+- 750w	-		N/C	-		173	(180)
32	Amber Top	S4 PAR WFL+- 750w	-		R04	-		174	(22)
33	Red Top	S4 PAR WFL+- 750w	-		R26	-		175	(42)
34	Blue Top	S4 PAR WFL+- 750w	-		R80	-		176	(62)
35	Purple Top	S4 PAR WFL+- 750w	-		R47	-		177	(82)
36	High X Pink	Source 4 26deg+- 750w	-		R34	-		178	(128)
37	High X Lav	Source 4 26deg+- 750w	-		R54	-		179	(118)
38	High X Gobo	Source 4 26deg+- 750w	-		N/C	-		180	(108)
39	High X Pink	Source 4 36deg+- 750w	-		R34	-		178	(128)
40	High X Lav	Source 4 36deg+- 750w	-		R54	-		179	(118)
41	High X Gobo	Source 4 36deg+- 750w	-		N/C	-		180	(108)

# Merchant Rep ... INSTRUMENT SCHEDULE

Merchant Rep Paperwork 2012

9/12/12

## 6th Electric

U#	Purpose	Inst Type & Access & Watt	Ckt	C#	Color	Gobo	Gsiz	Dm	Chan
A1	Cyc Top Red	Far Cyc Cell+- 2kw	-		R124	-		211	(91)
A2	Cyc Top Blue	Far Cyc Cell+- 2kw	-		R125	-		212	(92)
A3	Cyc Top Green	Far Cyc Cell+- 2kw	-		R126	-		213	(93)
A4	Cyc Top Amber	Far Cyc Cell+- 2kw	-		R127	-		214	(94)
-----									
B1	Cyc Top Red	Far Cyc Cell+- 2kw	-		R124	-		211	(91)
B2	Cyc Top Blue	Far Cyc Cell+- 2kw	-		R125	-		212	(92)
B3	Cyc Top Green	Far Cyc Cell+- 2kw	-		R126	-		213	(93)
B4	Cyc Top Amber	Far Cyc Cell+- 2kw	-		R127	-		214	(94)
-----									
C1	Cyc Top Red	Far Cyc Cell+- 2kw	-		R124	-		215	(91)
C2	Cyc Top Blue	Far Cyc Cell+- 2kw	-		R125	-		216	(92)
C3	Cyc Top Green	Far Cyc Cell+- 2kw	-		R126	-		205	(93)
C4	Cyc Top Amber	Far Cyc Cell+- 2kw	-		R127	-		206	(94)
-----									
D1	Cyc Top Red	Far Cyc Cell+- 2kw	-		R124	-		215	(91)
D2	Cyc Top Blue	Far Cyc Cell+- 2kw	-		R125	-		216	(92)
D3	Cyc Top Green	Far Cyc Cell+- 2kw	-		R126	-		205	(93)
D4	Cyc Top Amber	Far Cyc Cell+- 2kw	-		R127	-		206	(94)
-----									
E1	Cyc Top Red	Far Cyc Cell+- 2kw	-		R124	-		207	(91)
E2	Cyc Top Blue	Far Cyc Cell+- 2kw	-		R125	-		208	(92)
E3	Cyc Top Green	Far Cyc Cell+- 2kw	-		R126	-		209	(93)
E4	Cyc Top Amber	Far Cyc Cell+- 2kw	-		R127	-		210	(94)
-----									
F1	Cyc Top Red	Far Cyc Cell+- 2kw	-		R124	-		207	(91)
F2	Cyc Top Blue	Far Cyc Cell+- 2kw	-		R125	-		208	(92)
F3	Cyc Top Green	Far Cyc Cell+- 2kw	-		R126	-		209	(93)
F4	Cyc Top Amber	Far Cyc Cell+- 2kw	-		R127	-		210	(94)
-----									
G1	Cyc Top Red	Far Cyc Cell+- 2kw	-		R124	-		199	(91)
G2	Cyc Top Blue	Far Cyc Cell+- 2kw	-		R125	-		200	(92)
G3	Cyc Top Green	Far Cyc Cell+- 2kw	-		R126	-		201	(93)
G4	Cyc Top Amber	Far Cyc Cell+- 2kw	-		R127	-		202	(94)
-----									
H1	Cyc Top Red	Far Cyc Cell+- 2kw	-		R124	-		199	(91)
H2	Cyc Top Blue	Far Cyc Cell+- 2kw	-		R125	-		200	(92)
H3	Cyc Top Green	Far Cyc Cell+- 2kw	-		R126	-		201	(93)
H4	Cyc Top Amber	Far Cyc Cell+- 2kw	-		R127	-		202	(94)

**6th Electric**

U#	Purpose	Inst Type & Access & Watt	Ckt	C#	Color	Gobo	Gsiz	Dm	Chan
I1	Cyc Top Red	Far Cyc Cell+- 2kw	-		R124	-		203	(91)
I2	Cyc Top Blue	Far Cyc Cell+- 2kw	-		R125	-		204	(92)
I3	Cyc Top Green	Far Cyc Cell+- 2kw	-		R126	-		413	(93)
I4	Cyc Top Amber	Far Cyc Cell+- 2kw	-		R127	-		414	(94)
-----									
J1	Cyc Top Red	Far Cyc Cell+- 2kw	-		R124	-		203	(91)
J2	Cyc Top Blue	Far Cyc Cell+- 2kw	-		R125	-		204	(92)
J3	Cyc Top Green	Far Cyc Cell+- 2kw	-		R126	-		413	(93)
J4	Cyc Top Amber	Far Cyc Cell+- 2kw	-		R127	-		414	(94)

# Merchant Rep ... INSTRUMENT SCHEDULE

Merchant Rep Paperwork 2012

9/12/12

## FOH SL

U#	Purpose	Inst Type & Access & Watt	Ckt	C#	Color	Gobo	Gsiz	Dm	Chan
1	-	Source 4 36deg+- 575w	-	-	-	-	-	433	
2	-	Source 4 36deg+- 575w	-	-	-	-	-	434	
3	-	Source 4 36deg+- 575w	-	-	-	-	-	435	
4	-	Source 4 36deg+- 575w	-	-	-	-	-	436	
5	-	Source 4 10deg+- 575w	-	-	-	-	-	437	(131)
6	-	Source 4 10deg+- 575w	-	-	-	-	-	438	(132)
7	FoH Specials	Source 4 10deg+- 575w	-	-	-	-	-	259	(133)
8	FoH Specials	Source 4 10deg+- 575w	-	-	-	-	-	260	(134)
9	FoH Specials	Source 4 10deg+- 575w	-	-	-	-	-	261	(135)
10	FoH Specials	Source 4 10deg+- 575w	-	-	-	-	-	262	(136)
11	FoH Rose	Source 4 19deg+- 575w	-	-	R05	-	-	263	(1)
12	FoH Blue	Source 4 19deg+- 575w	-	-	L201	-	-	264	(4)
13	FoH Choc	Source 4 19deg+- 575w	-	-	R99	-	-	265	(7)
14	FoH N/C	Source 4 19deg+- 575w	-	-	N/C	-	-	266	(497)
15	FoH Rose	Source 4 19deg+- 575w	-	-	R05	-	-	263	(1)
16	FoH Blue	Source 4 19deg+- 575w	-	-	L201	-	-	264	(4)
17	FoH Choc	Source 4 19deg+- 575w	-	-	R99	-	-	265	(7)
18	FoH N/C	Source 4 19deg+- 575w	-	-	N/C	-	-	266	(497)
19	FoH Rose	Source 4 19deg+- 575w	-	-	R05	-	-	267	(2)
20	FoH Blue	Source 4 19deg+- 575w	-	-	L201	-	-	268	(5)
21	FoH Choc	Source 4 19deg+- 575w	-	-	R99	-	-	269	(8)
22	FoH N/C	Source 4 19deg+- 575w	-	-	N/C	-	-	270	(497)

## Balc 1 SL

U#	Purpose	Inst Type & Access & Watt	Ckt	C#	Color	Gobo	Gsiz	Dm	Chan
1	-	Source 4 26deg+- 575w	-	-	R33	-	-	301	
2	-	Source 4 26deg+- 575w	-	-	R33	-	-	302	
3	-	Source 4 26deg+- 575w	-	-	R51	-	-	303	
4	-	Source 4 26deg+- 575w	-	-	R51	-	-	304	
5	-	Source 4 26deg+- 575w	-	-	R99	-	-	305	
6	-	Source 4 26deg+- 575w	-	-	R99	-	-	306	

**Balc 1 SR**

U#	Purpose	Inst Type & Access & Watt	Ckt	C#	Color	Gobo	Gsiz	Dm	Chan
1	-	Source 4 26deg+- 575w	-		R99	-		330	
2	-	Source 4 26deg+- 575w	-		R99	-		329	
3	-	Source 4 26deg+- 575w	-		R51	-		328	
4	-	Source 4 26deg+- 575w	-		R51	-		327	
5	-	Source 4 26deg+- 575w	-		R33	-		326	
6	-	Source 4 26deg+- 575w	-		R33	-		325	

**Balc 2 CS**

U#	Purpose	Inst Type & Access & Watt	Ckt	C#	Color	Gobo	Gsiz	Dm	Chan
1	-	Source 4 26deg+- 575w	-	-	-	-		333	
2	-	Source 4 26deg+- 575w	-	-	-	-		334	
3	-	Source 4 14 Deg+- 750w	-	-	-	-		335	
4	-	Source 4 14 Deg+- 750w	-	-	-	-		336	
5	-	Source 4 14 Deg+- 750w	-	-	-	-		331	
6	-	Source 4 14 Deg+- 750w	-	-	-	-		332	
7	-	Source 4 14 Deg+- 750w	-	-	-	-		342	
8	-	Source 4 14 Deg+- 750w	-	-	-	-		341	
9	-	Source 4 14 Deg+- 750w	-	-	-	-		337	
10	-	Source 4 14 Deg+- 750w	-	-	-	-		338	
11	-	Source 4 26deg+- 575w	-	-	-	-		339	
12	-	Source 4 26deg+- 575w	-	-	-	-		340	



**Box Boom SR**

U#	Purpose	Inst Type & Access & Watt	Ckt	C#	Color	Gobo	Gsiz	Dm	Chan
1	-	Source 4 26deg+- 575w	-	-	-	-	-	307	
2	-	Source 4 26deg+- 575w	-	-	-	-	-	308	
3	-	Source 4 36deg+- 575w	-	-	-	-	-	309	
4	-	Source 4 36deg+- 575w	-	-	-	-	-	310	
5	-	Source 4 50deg+- 575w	-	-	-	-	-	311	
6	-	Source 4 36deg+- 575w	-	-	-	-	-	312	
7	-	Source 4 70 deg+- 750w	-	-	-	-	-	313	
8	-	Source 4 36deg+- 575w	-	-	-	-	-	314	
9	-	Source 4 50deg+- 575w	-	-	-	-	-	315	
10	-	Source 4 36deg+- 575w	-	-	-	-	-	316	
11	-	Source 4 36deg+- 575w	-	-	-	-	-	317	

**Box Boom SL**

U#	Purpose	Inst Type & Access & Watt	Ckt	C#	Color	Gobo	Gsiz	Dm	Chan
1	-	Source 4 26deg+- 575w	-	-	-	-	-	283	
2	-	Source 4 26deg+- 575w	-	-	-	-	-	284	
3	-	Source 4 36deg+- 575w	-	-	-	-	-	285	
4	-	Source 4 36deg+- 575w	-	-	-	-	-	286	
5	-	Source 4 50deg+- 575w	-	-	-	-	-	287	
6	-	Source 4 36deg+- 575w	-	-	-	-	-	288	
7	-	Source 4 70 deg+- 750w	-	-	-	-	-	289	
8	-	Source 4 36deg+- 575w	-	-	-	-	-	290	
9	-	Source 4 50deg+- 575w	-	-	-	-	-	291	
10	-	Source 4 36deg+- 575w	-	-	-	-	-	292	
11	-	Source 4 36deg+- 575w	-	-	-	-	-	293	

# Merchant Rep ... INSTRUMENT SCHEDULE

Merchant Rep Paperwork 2012

9/12/12

## FOH SR

U#	Purpose	Inst Type & Access & Watt	Ckt	C#	Color	Gobo	Gsiz	Dm	Chan
23	FoH Rose	Source 4 19deg+- 575w	-		R05	-		271	(2)
24	FoH Blue	Source 4 19deg+- 575w	-		L201	-		272	(5)
25	FoH Choc	Source 4 19deg+- 575w	-		R99	-		273	(8)
26	FoH N/C	Source 4 19deg+- 575w	-		N/C	-		274	(497)
27	FoH Rose	Source 4 19deg+- 575w	-		R05	-		275	(3)
28	FoH Blue	Source 4 19deg+- 575w	-		L201	-		276	(6)
29	FoH Choc	Source 4 19deg+- 575w	-		R99	-		281	(9)
30	FoH N/C	Source 4 19deg+- 575w	-		N/C	-		282	(497)
31	FoH Rose	Source 4 19deg+- 575w	-		R05	-		275	(3)
32	FoH Blue	Source 4 19deg+- 575w	-		L201	-		276	(6)
33	FoH Choc	Source 4 19deg+- 575w	-		R99	-		281	(9)
34	FoH N/C	Source 4 19deg+- 575w	-		N/C	-		282	(497)
35	FoH Specials	Source 4 10deg+- 575w	-		-	-		280	(137)
36	FoH Specials	Source 4 10deg+- 575w	-		-	-		279	(138)
37	FoH Specials	Source 4 10deg+- 575w	-		-	-		278	(139)
38	FoH Specials	Source 4 10deg+- 575w	-		-	-		277	(140)
39	-	Source 4 10deg+- 575w	-		-	-		444	(141)
40	-	Source 4 10deg+- 575w	-		-	-		443	(142)
41	-	Source 4 36deg+- 575w	-		-	-		442	
42	-	Source 4 36deg+- 575w	-		-	-		441	
43	-	Source 4 36deg+- 575w	-		-	-		440	
44	-	Source 4 36deg+- 575w	-		-	-		439	

## 1st Electric

U#	Purpose	Inst Type & Access & Watt	Ckt	C#	Color	Gobo	Gsiz	Dm	Chan
1	Special	Source 4 26deg+- 750w	-		N/C	-		34	(151)
2	Special	Source 4 36deg+- 750w	-		N/C	-		35	(152)
3	Special	Source 4 26deg+- 750w	-		N/C	-		36	(153)
4	Special	Source 4 36deg+- 750w	-		N/C	-		25	(154)
5	Special	Source 4 26deg+- 750w	-		N/C	-		26	(155)
6	Special	Source 4 36deg+- 750w	-		N/C	-		27	(156)
7	Special	Source 4 26deg+- 750w	-		N/C	-		28	(157)
8	Special	Source 4 36deg+- 750w	-		N/C	-		29	(158)
9	Special	Source 4 26deg+- 750w	-		N/C	-		30	(159)

## Balc 1 CS

U#	Purpose	Inst Type & Access & Watt	Ckt	C#	Color	Gobo	Gsiz	Dm	Chan
1	-	Source 4 26deg+- 575w	-	-	-	-		345	
2	-	Source 4 26deg+- 575w	-	-	-	-		346	
3	-	Source 4 14 Deg+- 750w	-	-	-	-		347	
4	-	Source 4 14 Deg+- 750w	-	-	-	-		348	
5	-	Source 4 14 Deg+- 750w	-	-	-	-		349	
6	-	Source 4 14 Deg+- 750w	-	-	-	-		350	
7	-	Source 4 26deg+- 575w	-	-	-	-		352	
8	-	Source 4 26deg+- 575w	-	-	-	-		353	